ELSEVIER

Journal of Organometallic Chemistry 483 (1994) C9

Journal of Organometallic Chemistry

# Author Index of Volume 483

Apostolidis, C., 193
Atmani, A., 167
Ayllón, J.A., 153

Bergwall, C., 73
Boersma, J., 213
Bosque, R., 61
Bott, S.G., 7
Breunig, H.J., 167
Bricout, H., C1
Brocard, J., C1

Caruso, F., 123
Casabó, J., 153
Challet, S., 47
Chen, W., 57
Chung, Y.K., 115
Coville, N.J., 159
Crespo, M., 187

Dippel, K.A., 27
Dornberger, E., 193
Du, C.X., 139

Ebert, K.H., 167
Erker, G., 173
Evans, W.J., 21, 39

Fang, Z.-G., 17
Fioretto, S.D., 147
Font-Bardía, M., 187

Gatti, G., 77
Girolami, G.S., 99
Grimmer, N.E., 159

Habel, W., 183
Haeusler, W., 183
Harms, K., 229
Hendan, B.J., 33
Hor, T.S.A., 17
Huang, X., 107
Huo, S.Q., 139
Huppmann, F., 217
Hynes, R.C., 1

Jeong, E., 115
Jin, J., 57

Kaller, R., 167
Kanellakopulos, B., 193
Kivekäs, R., 153
Kubicki, M.M., 47

Lay, U.W., 27
Leblanc, J.-C., 47
Lee, M.-C., 91
Lee, S.S., 115
Leonesi, D., 123
Li, X.-W., 229
Liu, J., 57
López, C., 61
López, J.A., 77
Lorberth, J., 229
Low, P.M.N., 17

Maciejewski, L., C1
Maier, R., 193
Mao, X.A., 139
Marchetti, F., 123
Marsmann, H.C., 33
Matković-Čalogović, D., 205
Mealli, C., 77
Meider, H., 205
Meller, A., 217
Möhring, P.C., 159
Moïse, C., 47
Mollenkopf, C., 173
Morandini, F., 147
Mortreux, A., C1
Mourad, Y., 167
Mugnier, Y., 167
Müller, J., 193
Musco, A., 77

Naïli, S., C1
Ng, S.-C., 17
Noltemeyer, M., 217
Nuber, B., 47

Paiaro, G., 147
Pandolfo, L., 147
Parsons, E.J., 73
Pélinski, L., C1
Petit, F., C1
Pettinari, C., 123
Planinić, P., 205

Rabe, G.W., 21, 39
Rees, Jr., W.S., 27
Richmond, M.G., 7
Rossi, M., 123

Sales, J., 61
Sartori, P., 183
Shaver, A., 1
Sillanpää, R., 153
Solans, X., 61, 187
Spencer, M.D., 99

Teixidor, F., 153
Trojansek, D., 1

Valk, J.-M., 213
Van Koten, G., 213
Viñas, C., 153
Vlachakis, N., 159
Von Ammon, R., 193

Wang, T.-F., 91
Wei, G., 57
Wen, Y.-S., 91
Wu, Y.J., 139
Wu, Z., 107

Xu, Z., 107

Yang, K., 7
You, X., 107
Yuan, H.Z., 139

Zhang, S., 57
Zhang, X., 193
Zhou, X., 107
Zhu, Y., 139
Ziller, J.W., 21, 39

ELSEVIER

Journal of Organometallic Chemistry 483 (1994) C11–C16

Journal of Organometallic Chemistry

# Subject Index of Volume 483

Acetylide
Synthesis and structure of $[(C_5Me_5)_2Sm(THF)]_2(\mu\text{-}\eta^1:\eta^1\text{-}C_2)$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 21

Alkoxide
Dehydrogenation of organolanthanide alkoxides and X-ray crystal structures of the reaction product $[\{(C_5H_5)_2Ln(\mu\text{-}O(Me)C{=}CHCH_3)\}_2]$ (Ln = Dy, Yb) (Z. Wu, Z. Xu, X. You, X. Zhou and X. Huang), 107

Alkyl
Asymmetric diarsines: Synthesis of dimeric pentamethylcyclopentadienylchloroarsine, dimeric pentamethylcyclopentadienyl(methyl)arsine and the crystal structure of dimeric pentamethylcyclopentadienyl(methyl)arsine (X.-W. Li, J. Lorberth and K. Harms), 229

Alkyl complexes
Redox behaviour and reactions of $(PhCH_2)_3Sb$; syntheses and structures of $[(PhCH_2)_3SbMe]I$ and $[(PhCH_2)_3SbMe]_3Sb_3I_{12}$ (H.J. Breunig, K.H. Ebert, R. Kaller, Y. Mourad, A. Atmani and Y. Mugnier), 167

Alkyls
Hydrogen elimination in the thermal decomposition of iridium-*n*-alkyl complexes (C. Bergwall and E.J. Parsons), 73

Alkynide
Synthesis and structure of $[(C_5Me_5)_2Sm(THF)]_2(\mu\text{-}\eta^1:\eta^1\text{-}C_2)$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 21

Allyls
Nucleophilic reactions of $(\eta^5\text{-}C_5H_5)Mo(CO)_2(\eta^3\text{-}C_6H_7)$ (T.-F. Wang, M.-C. Lee and Y.-S. Wen), 91

Aluminium
Nucleophilic reactions of $(\eta^5\text{-}C_5H_5)Mo(CO)_2(\eta^3\text{-}C_6H_7)$ (T.-F. Wang, M.-C. Lee and Y.-S. Wen), 91

Amides
Reaktionen subvalenter Verbindungen des Siliciums mit alkylierten Aromaten (F. Huppmann, M. Noltemeyer und A. Meller), 217

Amine
Synthesis and X-ray crystal structure of nitrogen base adducts of decamethylsamarocene: $(C_5Me_5)_2Sm(NH_2CMe_3)$ and $(C_5Me_5)_2Sm(N\text{-}MeIm)_2$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 39

Antimony
Redox behaviour and reactions of $(PhCH_2)_3Sb$; syntheses and structures of $[(PhCH_2)_3SbMe]I$ and $[(PhCH_2)_3SbMe]_3Sb_3I_{12}$ (H.J. Breunig, K.H. Ebert, R. Kaller, Y. Mourad, A. Atmani and Y. Mugnier), 167

Arene complexes
Highly regio- and stereo-controlled hydroformylation of *ortho*-substituted ($\eta^6$-styrene)chromium complexes (J. Brocard, L. Pélinski, L. Maciejewski, S. Naïli, H. Bricout, A. Mortreux and F. Petit), C1

Arsenic
Asymmetric diarsines: Synthesis of dimeric pentamethylcyclopentadienylchloroarsine, dimeric pentamethylcyclopentadienyl(methyl)arsine and the crystal structure of dimeric pentamethylcyclopentadienyl(methyl)arsine (X.-W. Li, J. Lorberth and K. Harms), 229

Barium
Ether- and amine-substituted cyclopentadienes as ligands in organometallic compounds: examples for iron and barium (W.S. Rees, Jr., U.W. Lay and K.A. Dippel), 27

$\eta^3$-Benzyl
Structural and NMR spectroscopic characterization of $\eta^3$-Benzyl palladium(II) complexes (G. Gatti, J.A. López, C. Mealli and A. Musco), 77

$\pi$-bonding
Mercury coordination to Exo-dithio-7,8-dicarba-*nido*-undecaborate derivatives (F. Teixidor, J.A. Ayllón, C. Viñas, R. Kivekäs, R. Sillanpää and J. Casabó), 153

Boron compounds
Mercury coordination to Exo-dithio-7,8-dicarba-*nido*-undecaborate derivatives (F. Teixidor, J.A. Ayllón, C. Viñas, R. Kivekäs, R. Sillanpää and J. Casabó), 153

Bulky ligands
Asymmetric diarsines: Synthesis of dimeric pentamethylcyclopentadienylchloroarsine, dimeric pentamethylcyclopentadienyl(methyl)arsine and the crystal structure of dimeric pentamethylcyclopentadienyl(methyl)arsine (X.-W. Li, J. Lorberth and K. Harms), 229

Cage compound
Semipräparative Trennung gemischt substituierter Octa-(organylsilsesquioxane) mittels Normal-Phase-HPLC und ihre $^{29}Si$-NMR-spektroskopische Untersuchung (B.J. Hendan und H.C. Marsmann), 33

Carbon-13
Synthesis and characterization of new titanium(II) carbonyls of stoichiometry $TiX_2(CO)_2(dmpe)_2$: an NMR study (M.D. Spencer and G.S. Girolami), 99

Carbonyl
Synthesis and characterization of new titanium(II) carbonyls of stoichiometry $TiX_2(CO)_2(dmpe)_2$: an NMR study (M.D. Spencer and G.S. Girolami), 99
Synthesis, characterization and crystal structures of $[Mo(CO)_5]_4$-TPTA and $[W(CO)_5]_4$TPTA (TPTA = 1,4,8,11-tetrakis(methyldiphenylphosphino)-1,4,8,11-tetraazacyclotetradecane) (P. Planinić, H. Meider and D. Matković-Čalogović), 205

Carborane ligands
Mercury coordination to Exo-dithio-7,8-dicarba-*nido*-undecaborate derivatives (F. Teixidor, J.A. Ayllón, C. Viñas, R. Kivekäs, R. Sillanpää and J. Casabó), 153

Catalysts
The influence of steric and electronic effects of substituents on the cyclopentadienyl ring on the behaviour of $(CpR)_2TiCl_2$ and $(CpR)CpTiCl_2/Et_3Al_2Cl_3$ catalysts in polymerization of ethene (P.C. Möhring, N. Vlachakis, N.E. Grimmer and N.J. Coville), 159
Chlorination
Synthese und Charakterisierung von Poly(dichlorsilylen-co-dichlormethylen) und Poly(dimethylsilylen-co-2,2-propylen) (W. Habel, W. Haeusler und P. Sartori), 183
Chloropoly(carbosilanes)
Synthese und Charakterisierung von Poly(dichlorsilylen-co-dichlormethylen) und Poly(dimethylsilylen-co-2,2-propylen) (W. Habel, W. Haeusler und P. Sartori), 183
Cholestanol
Group 4 metallocene complexes bearing cholestanol-derived substituents at the Cp-rings—their synthesis and use in propene polymerization catalysis (G. Erker and C. Mollenkopf), 173
Chromium
Highly regio- and stereo-controlled hydroformylation of *ortho*-substituted ($\eta^6$-styrene)chromium complexes (J. Brocard, L. Pélinski, L. Maciejewski, S. Naïli, H. Bricout, A. Mortreux and F. Petit), C1
Cluster
Synthesis of $M^0(\eta^2\text{-dppf})_2$ (M = Pd, Pt; dppf = $Fe(C_5H_4PPh_2)_2$) and their reactions with $Fe_3(\mu_3\text{-}S)_2(CO)_9$ and elemental sulfur (Z.-G. Fang, P.M.N. Low, S.-C. Ng and T.S.A. Hor), 17
Crystal structure
Dehydrogenation of organolanthanide alkoxides and X-ray crystal structures of the reaction product $[\{(C_5H_5)_2Ln(\mu\text{-}O(Me)C{=}CHCH_3)\}_2]$ (Ln = Dy, Yb) (Z. Wu, Z. Xu, X. You, X. Zhou and X. Huang), 107
Syntheses and molecular structure of $(C_8H_8)Ln(2,4\text{-}C_7H_{11})\cdot THF$ (Ln = Nd, Er) (S. Zhang, J. Jin, G. Wei, W. Chen and J. Liu), 57
Synthesis, characterization and crystal structures of $[Mo(CO)_5]_4$-TPTA and $[W(CO)_5]_4$TPTA (TPTA = 1,4,8,11-tetrakis(methyldiphenylphosphino)-1,4,8,11-tetraazacyclotetradecane) (P. Planinić, H. Meider and D. Matković-Čalogović), 205
The preparation of the mixed thiolato–isocyanide complexes *cis*- and *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(SR)(CNR')$: the structure of *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(S\text{-}4\text{-}C_6H_4Me)(CNCMe_3)$ (A. Shaver, R.C. Hynes and D. Trojansek), 1
Cyclohexadiene
Synthesis and electrophilic reactivity of $[\{\eta^5\text{-}1\text{-}N(CH_2CH_2O)_3Si\text{-}6\text{-}Me\text{-}C_6H_5\}Mn(CO)_2NO]BF_4$ (S.S. Lee, E. Jeong and Y.K. Chung), 115
Cyclohexadienyl
Synthesis and electrophilic reactivity of $[\{\eta^5\text{-}1\text{-}N(CH_2CH_2O)_3Si\text{-}6\text{-}Me\text{-}C_6H_5\}Mn(CO)_2NO]BF_4$ (S.S. Lee, E. Jeong and Y.K. Chung), 115
Cyclometallated platinum(II), (IV)
Cyclometallated platinum(II) and platinum(IV) compounds of N-benzylidene-2-chlorobenzylamine. Crystal structure of $[PtMe(PPh_3)(C_6H_4CH{=}NCH_2C_6H_4Cl\text{-}2)]$ (M. Crespo, X. Solans and M. Font-Bardía), 187
Cyclometallation
Synthesis, characterization and structure of cyclopalladated ferrocenylketimines (S.Q. Huo, Y.J. Wu, C.X. Du, Y. Zhu, H.Z. Yuan and X.A. Mao), 139
Cyclooctatetraenyl
Syntheses and molecular structure of $(C_8H_8)Ln(2,4\text{-}C_7H_{11})\cdot THF$ (Ln = Nd, Er) (S. Zhang, J. Jin, G. Wei, W. Chen and J. Liu), 57
Cyclopalladation
Schiff bases derived from benzoylferrocene and their cyclopalladated derivatives. X-Ray crystal structure of $[Pd\overline{\{(\eta^5\text{-}C_5H_5)\text{-}Fe[(\eta^5\text{-}C_5H_3)\text{–}C(C_6H_5){=}N\text{–}C_6H_5]\}}Cl(PPh_3)]$ (R. Bosque, C. López, J. Sales and X. Solans), 61
Cyclopentadienes
Ether- and amine-substituted cyclopentadienes as ligands in organometallic compounds: examples for iron and barium (W.S. Rees, Jr., U.W. Lay and K.A. Dippel), 27
Cyclopentadienyl
Asymmetric diarsines: Synthesis of dimeric pentamethylcyclopentadienylchloroarsine, dimeric pentamethylcyclopentadienyl(methyl)arsine and the crystal structure of dimeric pentamethylcyclopentadienyl(methyl)arsine (X.-W. Li, J. Lorberth and K. Harms), 229
Dehydrogenation of organolanthanide alkoxides and X-ray crystal structures of the reaction product $[\{(C_5H_5)_2Ln(\mu\text{-}O(Me)C{=}CHCH_3)\}_2]$ (Ln = Dy, Yb) (Z. Wu, Z. Xu, X. You, X. Zhou and X. Huang), 107
Nucleophilic reactions of $(\eta^5\text{-}C_5H_5)Mo(CO)_2(\eta^3\text{-}C_6H_7)$ (T.-F. Wang, M.-C. Lee and Y.-S. Wen), 91
The influence of steric and electronic effects of substituents on the cyclopentadienyl ring on the behaviour of $(CpR)_2TiCl_2$ and $(CpR)CpTiCl_2/Et_3Al_2Cl_3$ catalysts in polymerization of ethene (P.C. Möhring, N. Vlachakis, N.E. Grimmer and N.J. Coville), 159
The preparation of the mixed thiolato–isocyanide complexes *cis*- and *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(SR)(CNR')$: the structure of *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(S\text{-}4\text{-}C_6H_4Me)(CNCMe_3)$ (A. Shaver, R.C. Hynes and D. Trojansek), 1
Dielectricity constant
Molekülstruktur und Ladungsverteilung in metallorganischen Verbindungen der f-Elemente VII. Synthese und Untersuchungen von 1:1-Addukten zwischen Tris(cyclopentadienyl)Lanthanoid(III)-Verbindungen und Triethylphosphat (B. Kanellakopulos, R. Von Ammon, C. Apostolidis, E. Dornberger, R. Maier, J. Müller und X. Zhang), 193
2,4-Dimethylpentadienyl
Syntheses and molecular structure of $(C_8H_8)Ln(2,4\text{-}C_7H_{11})\cdot THF$ (Ln = Nd, Er) (S. Zhang, J. Jin, G. Wei, W. Chen and J. Liu), 57
Dinuclear complexes
Oxo and thiophosphoramides of niobocene or tantalocene as organometallic ligands: synthesis of heterobimetallic complexes $[Cp_2M(CO)(\mu, \eta^1\text{:}\,\eta^1\text{-}PR_2X)M'L_n]$ (M = Nb or Ta; X = O or S; M' = Cr, Mo, W, Mn, Fe or Sn) (S. Challet, M.M. Kubicki, J.-C. Leblanc, C. Moïse and B. Nuber), 47
Diphosphine
Synthesis of $M^0(\eta^2\text{-dppf})_2$ (M = Pd, Pt; dppf = $Fe(C_5H_4PPh_2)_2$) and their reactions with $Fe_3(\mu_3\text{-}S)_2(CO)_9$ and elemental sulfur (Z.-G. Fang, P.M.N. Low, S.-C. Ng and T.S.A. Hor), 17
Dipole moments
Molekülstruktur und Ladungsverteilung in metallorganischen Verbindungen der f-Elemente VII. Synthese und Untersuchungen von 1:1-Addukten zwischen Tris(cyclopentadienyl)Lanthanoid(III)-Verbindungen und Triethylphosphat (B. Kanellakopulos, R. Von Ammon, C. Apostolidis, E. Dornberger, R. Maier, J. Müller und X. Zhang), 193
$\delta$-donor adducts
Molekülstruktur und Ladungsverteilung in metallorganischen Verbindungen der f-Elemente VII. Synthese und Untersuchungen von 1:1-Addukten zwischen Tris(cyclopentadienyl)Lanthanoid(III)-Verbindungen und Triethylphosphat (B.

Kanellakopulos, R. Von Ammon, C. Apostolidis, E. Dornberger, R. Maier, J. Müller und X. Zhang), 193

Dysprosium
Dehydrogenation of organolanthanide alkoxides and X-ray crystal structures of the reaction product $[\{(C_5H_5)_2Ln(\mu\text{-}O(Me)C{=}CHCH_3)\}_2]$ (Ln = Dy, Yb) (Z. Wu, Z. Xu, X. You, X. Zhou and X. Huang), 107

Electrochemistry
Synthesis, X-ray crystal structure, and redox properties of CpRu(NO)(mnt) (K. Yang, S.G. Bott and M.G. Richmond), 7

Elimination reactions
Hydrogen elimination in the thermal decomposition of iridium-*n*-alkyl complexes (C. Bergwall and E.J. Parsons), 73

Erbium
Syntheses and molecular structure of $(C_8H_8)Ln(2,4\text{-}C_7H_{11})\cdot THF$ (Ln = Nd, Er) (S. Zhang, J. Jin, G. Wei, W. Chen and J. Liu), 57

Extended Hückel calculations
Synthesis, X-ray crystal structure, and redox properties of CpRu(NO)(mnt) (K. Yang, S.G. Bott and M.G. Richmond), 7

Ferrocene
Schiff bases derived from benzoylferrocene and their cyclopalladated derivatives. X-Ray crystal structure of $[Pd\{(\eta^5\text{-}C_5H_5)\text{-}Fe[(\eta^5\text{-}C_5H_3)\text{–}C(C_6H_5){=}N\text{–}C_6H_5]\}Cl(PPh_3)]$ (R. Bosque, C. López, J. Sales and X. Solans), 61
Synthesis, characterization and structure of cyclopalladated ferrocenylketimines (S.Q. Huo, Y.J. Wu, C.X. Du, Y. Zhu, H.Z. Yuan and X.A. Mao), 139

Ferrocenes
Ether- and amine-substituted cyclopentadienes as ligands in organometallic compounds: examples for iron and barium (W.S. Rees, Jr., U.W. Lay and K.A. Dippel), 27

Ferrocenyl phosphine
Synthesis of $M^0(\eta^2\text{-dppf})_2$ (M = Pd, Pt; dppf = $Fe(C_5H_4PPh_2)_2$) and their reactions with $Fe_3(\mu_3\text{-}S)_2(CO)_9$ and elemental sulfur (Z.-G. Fang, P.M.N. Low, S.-C. Ng and T.S.A. Hor), 17

Group 4
Synthesis and characterization of new titanium(II) carbonyls of stoichiometry $TiX_2(CO)_2(dmpe)_2$: an NMR study (M.D. Spencer and G.S. Girolami), 99

Group 15
Asymmetric diarsines: Synthesis of dimeric pentamethylcyclopentadienylchloroarsine, dimeric pentamethylcyclopentadienyl(methyl)arsine and the crystal structure of dimeric pentamethylcyclopentadienyl(methyl)arsine (X.-W. Li, J. Lorberth and K. Harms), 229

Group IV
Synthesis, characterization and spectroscopic investigations of tin(IV) and organotin(IV) derivatives of 4-aroyl-5-pyrazolones. Crystal structure of *trans*-dimethylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (C. Pettinari, F. Marchetti, D. Leonesi, M. Rossi and F. Caruso), 123

HPLC
Semipräparative Trennung gemischt substituierter Octa-(organylsilsesquioxane) mittels Normal-Phase-HPLC und ihre $^{29}Si$-NMR-spektroskopische Untersuchung (B.J. Hendan und H.C. Marsmann), 33

Hydroformylation
Highly regio- and stereo-controlled hydroformylation of *ortho*-substituted ($\eta^6$-styrene)chromium complexes (J. Brocard, L. Pélinski, L. Maciejewski, S. Naïli, H. Bricout, A. Mortreux and F. Petit), C1

Imidazole
Synthesis and X-ray crystal structure of nitrogen base adducts of decamethylsamarocene: $(C_5Me_5)_2Sm(NH_2CMe_3)$ and $(C_5Me_5)_2Sm(N\text{-}MeIm)_2$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 39

Imine
Cyclometallated platinum(II) and platinum(IV) compounds of N-benzylidene-2-chlorobenzylamine. Crystal structure of $[PtMe(PPh_3)(C_6H_4CH{=}NCH_2C_6H_4Cl\text{-}2)]$ (M. Crespo, X. Solans and M. Font-Bardía), 187
Synthesis, characterization and structure of cyclopalladated ferrocenylketimines (S.Q. Huo, Y.J. Wu, C.X. Du, Y. Zhu, H.Z. Yuan and X.A. Mao), 139

Infrared spectroscopy
Synthesis, characterization and spectroscopic investigations of tin(IV) and organotin(IV) derivatives of 4-aroyl-5-pyrazolones. Crystal structure of *trans*-dimethylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (C. Pettinari, F. Marchetti, D. Leonesi, M. Rossi and F. Caruso), 123

Intramolecular coordination
Ether- and amine-substituted cyclopentadienes as ligands in organometallic compounds: examples for iron and barium (W.S. Rees, Jr., U.W. Lay and K.A. Dippel), 27

Iridium
Hydrogen elimination in the thermal decomposition of iridium-*n*-alkyl complexes (C. Bergwall and E.J. Parsons), 73

Iron
Ether- and amine-substituted cyclopentadienes as ligands in organometallic compounds: examples for iron and barium (W.S. Rees, Jr., U.W. Lay and K.A. Dippel), 27
Schiff bases derived from benzoylferrocene and their cyclopalladated derivatives. X-Ray crystal structure of $[Pd\{(\eta^5\text{-}C_5H_5)\text{-}Fe[(\eta^5\text{-}C_5H_3)\text{–}C(C_6H_5){=}N\text{–}C_6H_5]\}Cl(PPh_3)]$ (R. Bosque, C. López, J. Sales and X. Solans), 61
Synthesis, characterization and structure of cyclopalladated ferrocenylketimines (S.Q. Huo, Y.J. Wu, C.X. Du, Y. Zhu, H.Z. Yuan and X.A. Mao), 139

Isocyanide
The preparation of the mixed thiolato–isocyanide complexes *cis*- and *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(SR)(CNR')$: the structure of *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(S\text{-}4\text{-}C_6H_4Me)(CNCMe_3)$ (A. Shaver, R.C. Hynes and D. Trojansek), 1

Lanthanide
Synthesis and structure of $[(C_5Me_5)_2Sm(THF)]_2(\mu\text{-}\eta^1:\eta^1\text{-}C_2)$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 21
Synthesis and X-ray crystal structure of nitrogen base adducts of decamethylsamarocene: $(C_5Me_5)_2Sm(NH_2CMe_3)$ and $(C_5Me_5)_2Sm(N\text{-}MeIm)_2$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 39

Lanthanoid(III) complexes
Molekülstruktur und Ladungsverteilung in metallorganischen Verbindungen der f-Elemente VII. Synthese und Untersuchungen von 1:1-Addukten zwischen Tris(cyclopentadienyl)Lanthanoid(III)-Verbindungen und Triethylphosphat (B. Kanellakopulos, R. Von Ammon, C. Apostolidis, E. Dornberger, R. Maier, J. Müller und X. Zhang), 193

Maleonitriledithiolate
Synthesis, X-ray crystal structure, and redox properties of CpRu(NO)(mnt) (K. Yang, S.G. Bott and M.G. Richmond), 7

Manganese
Synthesis and electrophilic reactivity of [{$\eta^5$-1-*N*($CH_2CH_2O)_3$Si-6-Me-$C_6H_5$}Mn($CO)_2$NO]$BF_4$ (S.S. Lee, E. Jeong and Y.K. Chung), 115
Mercury compounds
Mercury coordination to Exo-dithio-7,8-dicarba-*nido*-undecaborate derivatives (F. Teixidor, J.A. Ayllón, C. Viñas, R. Kivekäs, R. Sillanpää and J. Casabó), 153
Metal carbonyl cation
Nucleophilic reactions of ($\eta^5$-$C_5H_5$)Mo($CO)_2$($\eta^3$-$C_6H_7$) (T.-F. Wang, M.-C. Lee and Y.-S. Wen), 91
Metallacarborane
Mercury coordination to Exo-dithio-7,8-dicarba-*nido*-undecaborate derivatives (F. Teixidor, J.A. Ayllón, C. Viñas, R. Kivekäs, R. Sillanpää and J. Casabó), 153
Metallocenes
Ether- and amine-substituted cyclopentadienes as ligands in organometallic compounds: examples for iron and barium (W.S. Rees, Jr., U.W. Lay and K.A. Dippel), 27
Synthesis and structure of [($C_5Me_5)_2$Sm(THF)]$_2$($\mu$-$\eta^1$:$\eta^1$-$C_2$) (W.J. Evans, G.W. Rabe and J.W. Ziller), 21
Synthesis and X-ray crystal structure of nitrogen base adducts of decamethylsamarocene: ($C_5Me_5)_2$Sm($NH_2CMe_3$) and ($C_5Me_5)_2$Sm(N-MeIm)$_2$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 39
Molybdenum
Nucleophilic reactions of ($\eta^5$-$C_5H_5$)Mo($CO)_2$($\eta^3$-$C_6H_7$) (T.-F. Wang, M.-C. Lee and Y.-S. Wen), 91
Synthesis, characterization and crystal structures of [Mo($CO)_5$]$_4$-TPTA and [W($CO)_5$]$_4$TPTA (TPTA = 1,4,8,11-tetrakis(methyldiphenylphosphino)-1,4,8,11-tetraazacyclotetradecane) (P. Planinić, H. Meider and D. Matković-Čalogović), 205

Neodymium
Syntheses and molecular structure of ($C_8H_8$)Ln(2,4-$C_7H_{11}$)·THF (Ln = Nd, Er) (S. Zhang, J. Jin, G. Wei, W. Chen and J. Liu), 57
Niobium
Oxo and thiophosphoramides of niobocene or tantalocene as organometallic ligands: synthesis of heterobimetallic complexes [$Cp_2$M(CO)($\mu$,$\eta^1$:$\eta^1$-$PR_2X$)M′$L_n$] (M = Nb or Ta; X = O or S; M′ = Cr, Mo, W, Mn, Fe or Sn) (S. Challet, M.M. Kubicki, J.-C. Leblanc, C. Moïse and B. Nuber), 47
Nitrosyl
Synthesis and electrophilic reactivity of [{$\eta^5$-1-*N*($CH_2CH_2O)_3$Si-6-Me-$C_6H_5$}Mn($CO)_2$NO]$BF_4$ (S.S. Lee, E. Jeong and Y.K. Chung), 115
Nitrosyls
Synthesis, X-ray crystal structure, and redox properties of CpRu(NO)(mnt) (K. Yang, S.G. Bott and M.G. Richmond), 7
NMR
Structural and NMR spectroscopic characterization of $\eta^3$-Benzyl palladium(II) complexes (G. Gatti, J.A. López, C. Mealli and A. Musco), 77
Synthesis and characterization of new titanium(II) carbonyls of stoichiometry $TiX_2(CO)_2$(dmpe)$_2$: an NMR study (M.D. Spencer and G.S. Girolami), 99
Synthesis, characterization and spectroscopic investigations of tin(IV) and organotin(IV) derivatives of 4-aroyl-5-pyrazolones. Crystal structure of *trans*-dimethylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (C. Pettinari, F. Marchetti, D. Leonesi, M. Rossi and F. Caruso), 123
Nuclear magnetic resonance
Molekülstruktur und Ladungsverteilung in metallorganischen Verbindungen der f-Elemente VII. Synthese und Untersuchungen von 1:1-Addukten zwischen Tris(cyclopentadienyl)Lanthanoid(III)-Verbindungen und Triethylphosphat (B. Kanellakopulos, R. Von Ammon, C. Apostolidis, E. Dornberger, R. Maier, J. Müller und X. Zhang), 193

Olefin polymerization
The influence of steric and electronic effects of substituents on the cyclopentadienyl ring on the behaviour of (CpR)$_2TiCl_2$ and (CpR)$CpTiCl_2$/$Et_3Al_2Cl_3$ catalysts in polymerization of ethene (P.C. Möhring, N. Vlachakis, N.E. Grimmer and N.J. Coville), 159
Organosilsesquioxane
Semipräparative Trennung gemischt substituierter Octa-(organylsilsesquioxane) mittels Normal-Phase-HPLC und ihre $^{29}$Si-NMR-spektroskopische Untersuchung (B.J. Hendan und H.C. Marsmann), 33
Oxidative addition
Cyclometallated platinum(II) and platinum(IV) compounds of N-benzylidene-2-chlorobenzylamine. Crystal structure of [PtMe($PPh_3$)($C_6H_4$CH=N$CH_2C_6H_4$Cl-2)] (M. Crespo, X. Solans and M. Font-Bardía), 187

Palladium
Schiff bases derived from benzoylferrocene and their cyclopalladated derivatives. X-Ray crystal structure of [Pd{($\eta^5$-$C_5H_5$)-Fe[($\eta^5$-$C_5H_3$)–C($C_6H_5$)=N–$C_6H_5$]}Cl($PPh_3$)] (R. Bosque, C. López, J. Sales and X. Solans), 61
Selective intramolecular cleavage of the carbon–silicon bond by palladium salts (J.-M. Valk, J. Boersma and G. Van Koten), 213
Synthesis, characterization and structure of cyclopalladated ferrocenylketimines (S.Q. Huo, Y.J. Wu, C.X. Du, Y. Zhu, H.Z. Yuan and X.A. Mao), 139
Synthesis of M$^0$($\eta^2$-dppf)$_2$ (M = Pd, Pt; dppf = Fe($C_5H_4PPh_2)_2$) and their reactions with $Fe_3(\mu_3$-S)$_2(CO)_9$ and elemental sulfur (Z.-G. Fang, P.M.N. Low, S.-C. Ng and T.S.A. Hor), 17
Palladium(II)
Structural and NMR spectroscopic characterization of $\eta^3$-Benzyl palladium(II) complexes (G. Gatti, J.A. López, C. Mealli and A. Musco), 77
Peroxocomplex
Stereochemical pattern of phosphine oxidation by a peroxometallacyclic platinum complex. Evidence of an intramolecular process (G. Paiaro, L. Pandolfo, F. Morandini and S.D. Fioretto), 147
Phosphine complexes
Synthesis and characterization of new titanium(II) carbonyls of stoichiometry $TiX_2(CO)_2$(dmpe)$_2$: an NMR study (M.D. Spencer and G.S. Girolami), 99
Phosphine oxidation
Stereochemical pattern of phosphine oxidation by a peroxometallacyclic platinum complex. Evidence of an intramolecular process (G. Paiaro, L. Pandolfo, F. Morandini and S.D. Fioretto), 147
Photochemistry
Synthese und Charakterisierung von Poly(dichlorsilylen-co-dichlormethylen) und Poly(dimethylsilylen-co-2,2-propylen) (W. Habel, W. Haeusler und P. Sartori), 183
Platinum
Cyclometallated platinum(II) and platinum(IV) compounds of N-benzylidene-2-chlorobenzylamine. Crystal structure of [PtMe($PPh_3$)($C_6H_4$CH=N$CH_2C_6H_4$Cl-2)] (M. Crespo, X. Solans and M. Font-Bardía), 187
Stereochemical pattern of phosphine oxidation by a peroxometallacyclic platinum complex. Evidence of an intramolecular pro-

cess (G. Paiaro, L. Pandolfo, F. Morandini and S.D. Fioretto), 147

Synthesis of $M^0(\eta^2\text{-dppf})_2$ (M = Pd, Pt; dppf = $Fe(C_5H_4PPh_2)_2$) and their reactions with $Fe_3(\mu_3\text{-}S)_2(CO)_9$ and elemental sulfur (Z.-G. Fang, P.M.N. Low, S.-C. Ng and T.S.A. Hor), 17

Poly(carbosilanes)

Synthese und Charakterisierung von Poly(dichlorsilylen-co-dichlormethylen) und Poly(dimethylsilylen-co-2,2-propylen) (W. Habel, W. Haeusler und P. Sartori), 183

Polymerization

Group 4 metallocene complexes bearing cholestanol-derived substituents at the Cp-rings—their synthesis and use in propene polymerization catalysis (G. Erker and C. Mollenkopf), 173

Polymers

Synthese und Charakterisierung von Poly(dichlorsilylen-co-dichlormethylen) und Poly(dimethylsilylen-co-2,2-propylen) (W. Habel, W. Haeusler und P. Sartori), 183

Pyrazolonates

Synthesis, characterization and spectroscopic investigations of tin(IV) and organotin(IV) derivatives of 4-aroyl-5-pyrazolones. Crystal structure of *trans*-dimethylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (C. Pettinari, F. Marchetti, D. Leonesi, M. Rossi and F. Caruso), 123

Rare earth metals

Synthesis and structure of $[(C_5Me_5)_2Sm(THF)]_2(\mu\text{-}\eta^1\text{:}\eta^1\text{-}C_2)$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 21

Synthesis and X-ray crystal structure of nitrogen base adducts of decamethylsamarocene: $(C_5Me_5)_2Sm(NH_2CMe_3)$ and $(C_5Me_5)_2Sm(N\text{-}MeIm)_2$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 39

Rearrangement

Synthesis and electrophilic reactivity of $[\{\eta^5\text{-}1\text{-}N(CH_2CH_2O)_3Si\text{-}6\text{-}Me\text{-}C_6H_5\}Mn(CO)_2NO]BF_4$ (S.S. Lee, E. Jeong and Y.K. Chung), 115

Regioselectivity

Highly regio- and stereo-controlled hydroformylation of *ortho*-substituted ($\eta^6$-styrene)chromium complexes (J. Brocard, L. Pélinski, L. Maciejewski, S. Naïli, H. Bricout, A. Mortreux and F. Petit), C1

Ruthenium

Synthesis, X-ray crystal structure, and redox properties of CpRu(NO)(mnt) (K. Yang, S.G. Bott and M.G. Richmond), 7

Samarium

Synthesis and structure of $[(C_5Me_5)_2Sm(THF)]_2(\mu\text{-}\eta^1\text{:}\eta^1\text{-}C_2)$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 21

Synthesis and X-ray crystal structure of nitrogen base adducts of decamethylsamarocene: $(C_5Me_5)_2Sm(NH_2CMe_3)$ and $(C_5Me_5)_2Sm(N\text{-}MeIm)_2$ (W.J. Evans, G.W. Rabe and J.W. Ziller), 39

Schiff bases

Schiff bases derived from benzoylferrocene and their cyclopalladated derivatives. X-Ray crystal structure of $[Pd\{(\eta^5\text{-}C_5H_5)\text{-}Fe[(\eta^5\text{-}C_5H_3)\text{-}C(C_6H_5)\text{=}N\text{-}C_6H_5]\}Cl(PPh_3)]$ (R. Bosque, C. López, J. Sales and X. Solans), 61

Silatranyl

Synthesis and electrophilic reactivity of $[\{\eta^5\text{-}1\text{-}N(CH_2CH_2O)_3Si\text{-}6\text{-}Me\text{-}C_6H_5\}Mn(CO)_2NO]BF_4$ (S.S. Lee, E. Jeong and Y.K. Chung), 115

Silicon

Reaktionen subvalenter Verbindungen des Siliciums mit alkylierten Aromaten (F. Huppmann, M. Noltemeyer und A. Meller), 217

Selective intramolecular cleavage of the carbon–silicon bond by palladium salts (J.-M. Valk, J. Boersma and G. Van Koten), 213

Semipräparative Trennung gemischt substituierter Octa-(organylsilsesquioxane) mittels Normal-Phase-HPLC und ihre $^{29}Si$-NMR-spektroskopische Untersuchung (B.J. Hendan und H.C. Marsmann), 33

Synthese und Charakterisierung von Poly(dichlorsilylen-co-dichlormethylen) und Poly(dimethylsilylen-co-2,2-propylen) (W. Habel, W. Haeusler und P. Sartori), 183

Silicon NMR

Semipräparative Trennung gemischt substituierter Octa-(organylsilsesquioxane) mittels Normal-Phase-HPLC und ihre $^{29}Si$-NMR-spektroskopische Untersuchung (B.J. Hendan und H.C. Marsmann), 33

Siloxane

Semipräparative Trennung gemischt substituierter Octa-(organylsilsesquioxane) mittels Normal-Phase-HPLC und ihre $^{29}Si$-NMR-spektroskopische Untersuchung (B.J. Hendan und H.C. Marsmann), 33

Stereochemistry

Stereochemical pattern of phosphine oxidation by a peroxometallacyclic platinum complex. Evidence of an intramolecular process (G. Paiaro, L. Pandolfo, F. Morandini and S.D. Fioretto), 147

Stereoselectivity

Highly regio- and stereo-controlled hydroformylation of *ortho*-substituted ($\eta^6$-styrene)chromium complexes (J. Brocard, L. Pélinski, L. Maciejewski, S. Naïli, H. Bricout, A. Mortreux and F. Petit), C1

Steric effects

The influence of steric and electronic effects of substituents on the cyclopentadienyl ring on the behaviour of $(CpR)_2TiCl_2$ and $(CpR)CpTiCl_2/Et_3Al_2Cl_3$ catalysts in polymerization of ethene (P.C. Möhring, N. Vlachakis, N.E. Grimmer and N.J. Coville), 159

Structure

Reaktionen subvalenter Verbindungen des Siliciums mit alkylierten Aromaten (F. Huppmann, M. Noltemeyer und A. Meller), 217

Substitution

The preparation of the mixed thiolato–isocyanide complexes *cis*- and *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(SR)(CNR')$: the structure of *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(S\text{-}4\text{-}C_6H_4Me)(CNCMe_3)$ (A. Shaver, R.C. Hynes and D. Trojansek), 1

Sulfur

Synthesis of $M^0(\eta^2\text{-dppf})_2$ (M = Pd, Pt; dppf = $Fe(C_5H_4PPh_2)_2$) and their reactions with $Fe_3(\mu_3\text{-}S)_2(CO)_9$ and elemental sulfur (Z.-G. Fang, P.M.N. Low, S.-C. Ng and T.S.A. Hor), 17

Synthesis

Reaktionen subvalenter Verbindungen des Siliciums mit alkylierten Aromaten (F. Huppmann, M. Noltemeyer und A. Meller), 217

Tantalum

Oxo and thiophosphoramides of niobocene or tantalocene as organometallic ligands: synthesis of heterobimetallic complexes $[Cp_2M(CO)(\mu,\eta^1\text{:}\eta^1\text{-}PR_2X)M'L_n]$ (M = Nb or Ta; X = O or S; M' = Cr, Mo, W, Mn, Fe or Sn) (S. Challet, M.M. Kubicki, J.-C. Leblanc, C. Moïse and B. Nuber), 47

Thiolate

The preparation of the mixed thiolato–isocyanide complexes *cis*- and *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(SR)(CNR')$: the structure of *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(S\text{-}4\text{-}C_6H_4Me)(CNCMe_3)$ (A. Shaver, R.C. Hynes and D. Trojansek), 1

Tin
Synthesis, characterization and spectroscopic investigations of tin(IV) and organotin(IV) derivatives of 4-aroyl-5-pyrazolones. Crystal structure of *trans*-dimethylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (C. Pettinari, F. Marchetti, D. Leonesi, M. Rossi and F. Caruso), 123
Titanium
Synthesis and characterization of new titanium(II) carbonyls of stoichiometry $TiX_2(CO)_2(dmpe)_2$: an NMR study (M.D. Spencer and G.S. Girolami), 99
The influence of steric and electronic effects of substituents on the cyclopentadienyl ring on the behaviour of $(CpR)_2TiCl_2$ and $(CpR)CpTiCl_2/Et_3Al_2Cl_3$ catalysts in polymerization of ethene (P.C. Möhring, N. Vlachakis, N.E. Grimmer and N.J. Coville), 159
Tungsten
Synthesis, characterization and crystal structures of $[Mo(CO)_5]_4$-TPTA and $[W(CO)_5]_4$TPTA (TPTA = 1,4,8,11-tetrakis(methyldiphenylphosphino)-1,4,8,11-tetraazacyclotetradecane) (P. Planinić, H. Meider and D. Matković-Čalogović), 205
The preparation of the mixed thiolato–isocyanide complexes *cis*- and *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(SR)(CNR')$: the structure of *trans*-$(\eta^5\text{-}C_5H_5)W(CO)_2(S\text{-}4\text{-}C_6H_4Me)(CNCMe_3)$ (A. Shaver, R.C. Hynes and D. Trojansek), 1

X-ray diffraction
Asymmetric diarsines: Synthesis of dimeric pentamethylcyclopentadienylchloroarsine, dimeric pentamethylcyclopentadienyl(methyl)arsine and the crystal structure of dimeric pentamethylcyclopentadienyl(methyl)arsine (X.-W. Li, J. Lorberth and K. Harms), 229
X-ray structural analysis
Redox behaviour and reactions of $(PhCH_2)_3Sb$; syntheses and structures of $[(PhCH_2)_3SbMe]I$ and $[(PhCH_2)_3SbMe]_3Sb_3I_{12}$ (H.J. Breunig, K.H. Ebert, R. Kaller, Y. Mourad, A. Atmani and Y. Mugnier), 167
X-ray structure
Cyclometallated platinum(II) and platinum(IV) compounds of N-benzylidene-2-chlorobenzylamine. Crystal structure of $[PtMe(PPh_3)(C_6H_4CH{=}NCH_2C_6H_4Cl\text{-}2)]$ (M. Crespo, X. Solans and M. Font-Bardía), 187
Mercury coordination to Exo-dithio-7,8-dicarba-*nido*-undecaborate derivatives (F. Teixidor, J.A. Ayllón, C. Viñas, R. Kivekäs, R. Sillanpää and J. Casabó), 153
Schiff bases derived from benzoylferrocene and their cyclopalladated derivatives. X-Ray crystal structure of $[Pd\overline{\{(\eta^5\text{-}C_5H_5)Fe[(\eta^5\text{-}C_5H_3)\text{-}C(C_6H_5){=}N\text{-}C_6H_5]\}}Cl(PPh_3)]$ (R. Bosque, C. López, J. Sales and X. Solans), 61
Structural and NMR spectroscopic characterization of $\eta^3$-Benzyl palladium(II) complexes (G. Gatti, J.A. López, C. Mealli and A. Musco), 77
Synthesis, characterization and spectroscopic investigations of tin(IV) and organotin(IV) derivatives of 4-aroyl-5-pyrazolones. Crystal structure of *trans*-dimethylbis[1-phenyl-3-methyl-4-(4-bromobenzoyl)-pyrazolon-5-ato]tin(IV) (C. Pettinari, F. Marchetti, D. Leonesi, M. Rossi and F. Caruso), 123
X-ray structures
Oxo and thiophosphoramides of niobocene or tantalocene as organometallic ligands: synthesis of heterobimetallic complexes $[Cp_2M(CO)(\mu,\eta^1{:}\eta^1\text{-}PR_2X)M'L_n]$ (M = Nb or Ta; X = O or S; M' = Cr, Mo, W, Mn, Fe or Sn) (S. Challet, M.M. Kubicki, J.-C. Leblanc, C. Moïse and B. Nuber), 47

Ytterbium
Dehydrogenation of organolanthanide alkoxides and X-ray crystal structures of the reaction product $[\{(C_5H_5)_2Ln(\mu\text{-}O(Me)C{=}CHCH_3)\}_2]$ (Ln = Dy, Yb) (Z. Wu, Z. Xu, X. You, X. Zhou and X. Huang), 107

Zirconium
Group 4 metallocene complexes bearing cholestanol-derived substituents at the Cp-rings—their synthesis and use in propene polymerization catalysis (G. Erker and C. Mollenkopf), 173

Book reviews
*Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Ni, Organonickel Compounds, Supplement Volume 1* (G.J. Leigh), C6
*Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Os, Organoosmium Compounds, B6* (G.J. Leigh), C6
*Gmelin Handbook of Inorganic and Organometallic Chemistry, 8th Edition, Os, Organoosmium Compounds, A2* (G.J. Leigh), C6
*The Chemistry of Organophosphorus Compounds, Volume 3: Phosphonium Salts, Ylides and Phosphoranes*, Frank R. Hartley (ed.) (J.F. Nixon), C6
*Handbook on Metals in Clinical and Analytical Chemistry*, H.G. Seiler, A. Sigel, and H. Sigel (eds.) (G.J. Leigh), C6